

# GEORGIA SKIN AND CANCER CLINIC

## Photodynamic Patient Patient Check List

- Wide brim hat to be worn after treatment.
- Book or newspaper – to read while you are waiting an hour during Levulan treatment.
- Skin Care Kit to be purchased at our office containing:
  1. Vanicream Sunscreen SPF 60( Titanium dioxide –zinc oxide sunscreen)
  2. Vanicream Lite Moisturizing Lotion.
  3. Vanicream Cleansing Bar.
- If you have a past history of fever blisters you should have been instructed to obtain and take Acyclovir 800mg one tablet by mouth the night before and the morning of treatment.
- Towel or scarf to cover up with after treatment so you do not get sun exposure. You may want to bring an umbrella to shield you from sun exposure.
- No sunlight exposure for 48 hours following treatment.
- Receive phone call from Dr. Smith's office before procedure to review all of your medicines to make sure you are not taking a medicine that will make you sunburn easily.
- I have received information on Levulan photodynamic therapy and understand risk, possible benefit as well as possible side effects.
- It may take several treatments, on average 2-4 treatments, 3-4 weeks apart.

**PLEASE NOTE THAT YOU MUST HAVE THE TREATMENT MEDICAL WORKUP VIA TELEPHONE CONVERSATION WITH ONE OF OUR NURSES PRIOR TO TREATMENT.** If you have not been contacted one week prior to your scheduled treatment call our office ASAP 912-925-0067 or 1-800-599-0067.